




QTY -041	PART NUMBER	DESCRIPTION
X	D3650-041	TUNNEL TOP PANEL ASSEMBLY
1	D3650-1	AFT PANEL
1	D3650-3	CENTER PANEL
1	D3650-5	FWD PANEL
8	AN3C-3A	BOLT
8	AN960C10	WASHER

E



D3650-041 TUNNEL TOP PANEL ASSEMBLY




- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 4.3 lbs
 - 8) TORQUE FASTENERS 15 TO 25 in-lb
 - 9) SEAL ALL MATING SURFACES AND ALL GAPS USING PROSEAL 700 FIRE WALL SEALANT





RELEASED
2012-10-09

E	REVISED D3650-3: 0.040 IN THICKNESS WAS 0.018. MINOR DIMENSIONAL CHANGES AS A RESULT.	MB	12.10.01
D	D3650-11 REPLACED WITH AN EMBOSS. PAGE 4 DELETED. D3650-3 BEND RELIEFS CHANGED TO TRIANGULAR SHAPE AT BOTH ENDS. D3650-3 HOLES CHANGED TO SLOTS. ALL NOTES UPDATED TO CONFORM TO QSI 043. TIGHTENED CUT TOLERANCES IN ALL FLAT PATTERNS. DEO D3650-C-1 INCORPORATED.	RP	12.08.12
C	REFORMATTED TO NEW STANDARDS; RELOCATED PART LIST (ZN D2-2); ADDED SECTION VIEW J-J & REVISE DIMENSIONS (ZN B7-5, C4-5); ADDED RECESS LOCATION & REVISED DIMENSIONS (ZN C6-6, D5-6); MS20615-4M5 WAS CR3523-4-03 & NAS1149CN432R WAS AN960C4 (ZN D5-7; B5-7; B8-7)	RF	08.10.14
B	SHEETS 1, 2 & 7: UPDATED FASTENER QUANTITIES; UPDATED VIEWS SHEETS 3 & 8: REMOVED/RELOCATED HOLES; UPDATED VIEWS SHEET 4: 1.8 WAS 1.5; 1.0 WAS 0.8; UPDATED VIEW; ADDED NOTE 8 SHEET 5: REMOVED NOTE IN C6 & ASSOCIATED DIMS; UPDATED VIEWS SHEET 6: REMOVED/RELOCATED HOLES & ADDED CUTOUT TO D3650-3F; MOVED D3650-11/-11F TO SHEET 9; ADDED DETAIL I SHEET 9: RELOCATED D3650-11/-11F FROM SHEET 6; UPDATED DIMS OF D3650-11/-11F	RF	08.01.07
A	NEW ISSUE	RF	07.11.07
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	MB		
CHECKED	RP	DRAWING NO. REV. E	
MFG. APPR.	RP	D3650 SHEET 1 OF 8	
APPROVED	RP	TITLE SCALE	
DE APPR.	RP	TOP PANEL ASSEMBLY NTS	
DATE	12.10.01	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

QTY -1	PART NUMBER	DESCRIPTION
X	D3650-1	AFT PANEL
1	D3650-1B	AFT PANEL BENT PART
18	MS20427M3-3	RIVET
6	MS21060-3K	NUTPLATE
3	MS21062-3K	NUTPLATE




D3650-1 AFT PANEL




D3650-1B AFT PANEL BENT PART

- NOTES:
- 1) MATERIAL: MAKE FROM D3650-1F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.3 lbs


DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. E
MFG. APPR.	<i>[Signature]</i>	D3650	SHEET 2 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TOP PANEL ASSEMBLY	NTS
DATE	12.10.01	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D3650-1F AFT PANEL (FLAT PATTERN)




DETAIL A C7-3




DETAIL B C7-3
3 PL



DETAIL C C4-3
2 PL






DETAIL D C4-3
3 PL




DETAIL M

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 THICK (26 GAUGE) SHEET, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF. DART SPEC. M304S26GA
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.3 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3650	SHEET 3 OF 8
APPROVED		TITLE	SCALE
DE APPR.		TOP PANEL ASSEMBLY	NTS
DATE	12.10.01	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




SECTION E-E C5-4







SECTION J-J C4-4


NOTES:

- NOTES:**
- 1) MATERIAL: MAKE FROM D3650-3F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.98 lbs
- 

E D3650-3 CENTER PANEL

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	MB	
CHECKED		DRAWING NO. REV. E
MFG. APPR.		D3650 SHEET 4 OF 8
APPROVED		TITLE SCALE
DE APPR.		TOP PANEL ASSEMBLY NTS
DATE 12.10.01		COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

2012-10-09



E D3650-3F CENTER PANEL (FLAT PATTERN)

RELEASED
2012-10-09
JW

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.040 THICK (20 GAUGE) SHEET, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF. DART SPEC. M304S20GA
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.98 lbs


DESIGN	RF	DART AEROSPACE LTD	
DRAWN	MB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JW	DRAWING NO.	REV. E
MFG. APPR.	JW	D3650	SHEET 5 OF 8
APPROVED	JW	TITLE	SCALE
DE APPR.	JW	TOP PANEL ASSEMBLY	NTS
DATE	12.10.01	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

QTY -5	PART NUMBER	DESCRIPTION
X	D3650-5	FWD PANEL
1	D3650-5B	FWD PANEL BENT PART
1	D3650-7-8.19	SEAL
1	D3650-9	ANGLE
1	D3893-1	DOUBLER
12	NAS1149CN432R	WASHER
12	MS20615-4M5	RIVET
8	MS20427M3-3	RIVET
2	MS21060-3K	NUTPLATE
2	MS21062-3K	NUTPLATE

MS21062-3K NUTPLATE (1X)
MS20427M3-3 RIVET (2X)
2 PL

MS21060-3K NUTPLATE (1X)
MS20427M3-3 RIVET (2X)
2 PL

D3650-5B
FWD PANEL
BENT PART





D3650-9
REF

D3650-7-8.19
REF

CENTRE D3650-7/-9 ON D3650-5B &
TRANSFER Ø0.129 HOLES
FROM D3650-9 TO D3650-7 & D3650-5B
AS SHOWN
INSTALL
MS20615-4M5 RIVET
NAS1149CN432R WASHER
12 PL

D3650-5 FWD PANEL



D3650-5B FWD PANEL BENT PART

RELEASED
2012-10-09

- NOTES:**
- 1) MATERIAL: MAKE FROM D3650-5F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.8 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RR	HAWKESBURY, ONTARIO, CANADA	
CHECKED	SE	DRAWING NO.	REV. E
MFG. APPR.	AW	D3650	SHEET 6 OF 8
APPROVED	JAP	TITLE	SCALE
DE APPR.	TH	TOP PANEL ASSEMBLY	NTS
DATE	12.10.01	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1

D


C

B


A



D3650-5F FWD PANEL (FLAT PATTERN)



DETAIL G C5-7
2 PL




DETAIL H B5-7
2 PL

NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 THICK (26 GAUGE) SHEET, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF. DART SPEC. M304S26GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.6 lb

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. E
MFG. APPR.	<i>[Signature]</i>	D3650	SHEET 7 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TOP PANEL ASSEMBLY	NTS
DATE	12.10.01	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



8 7 6 5 4 3 2 1



D3650-9 ANGLE
(MAKE FROM D3650-9F)



D3650-9F ANGLE (FLAT PATTERN)



D3650-7-8.19 SEAL

NOTES:

- 1) MATERIAL: P/N 8168-1 TADPOLE SEAL (REF. BELL P/N 120-104-1)
POSSIBLE SUPPLIER: EAGLE COPTERS OR BELL
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.05 lb
- 8) PART NUMBER: D3650-7-X.XX
WHERE X.XX = LENGTH IN INCHES
EG. 12.50" LONG = D3650-7-12.50

D3650-9F
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 THICK (26 GAUGE) SHEET,
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S26GA

- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.05 lb

RELEASE
2012-10-09

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3650	SHEET 8 OF 8
APPROVED		TITLE	SCALE
DE APPR.		TOP PANEL ASSEMBLY	NTS
DATE	12.10.01	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	